

	Hits	Search Text	DBs
1	5407	((home or household) near (device\$1 or appliance\$1)) with (network or server or control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	3880	((home or household) near (device\$1 or appliance\$1)) near5 (network or server or control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	2290	S3 and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	183	S4 and ((terminal or "remote control" or device) near3 regist\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	90	S5 and (authentikat\$3 or authoriz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	1	("6650343").PN.	US-PGPUB; USPAT; USOCR
7	224	S4 and ((residential or home) near (gateway or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	140	S8 and ((control near2 (device or terminal)) or "remote control")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	6	S10 and (((control near2 (device or terminal)) or "remote control") near5 regist\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
10	589	("remote control" near4 regist\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	6	S17 and ("remote control" near4 ((public or private) near3 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	28	("remote control" near4 regist\$5) same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	69	("4771283").URPN.	USPAT
14	14	("5802467" "5875395" "6020881" "6021324" "6061604" "6157313" "6192236" "6252883" "6308083" "6480586" "6496575" "6564056" "6580950" "6615088").PN.	US-PGPUB; USPAT; USOCR
15	14	("4882746" "4928778" "4989230" "5086385" "5109222" "5127042" "5218552" "5282250" "5353331" "5442680" "5461372" "5463674" "5608778" "5682142").PN.	US-PGPUB; USPAT; USOCR
16	28	((public or private) near key) with challenge with rand\$2 with (authentikat\$3 or verificat\$3) and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT
17	2214	713/168,170,176,193.ccls. and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT
18	58	S28 and ((home or household) near2 (device\$1 or appliance\$1))	US-PGPUB; USPAT
19	849	340/5.2,5.22,5.5,5.54,5.61.ccls. and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT
20	24	S30 and ((home or household) near2 (device\$1 or appliance\$1))	US-PGPUB; USPAT

	Hits	Search Text	DBs
21	3066	713/168,170,176,193;340/5.2,5.22,5.5,5.54,5.61.ccls. and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT
22	2	S32 and ((remote near2 (control\$3 or device\$1)) with regist\$5 with (id or identi\$8))	US-PGPUB; USPAT
23	38	S32 and (regist\$5 with (id or identi\$8) with (public near key\$1))	US-PGPUB; USPAT
24	539	(mobile or cellular) with (authenticat\$3 or authoriz\$5) with password\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	345	(mobile or cellular) with ((authenticat\$3 or authoriz\$5) near5 password\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	110	(mobile or cellular) near3 (authenticat\$3 or authoriz\$5) near5 password\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	45	S37 and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	23	("20020072815" "5548822" "5794164" "5835907" "5938721" "5959577" "6006159" "6091956" "6091957" "6131067" "6182010" "6240365" "6243039" "6246935" "6374176" "6385541" "6401027" "6408307" "6442394" "6456234" "6549768" "6662016" "6677894").PN.	US-PGPUB; USPAT; USOCR
29	3318	((access near right\$1) or authoriz\$5) near6 (location)	US-PGPUB; USPAT

	Hits	Search Text	DBs
30	8	(access near right\$1) near6 ((location or position) near2 (depend\$4 or relevant))	US-PGPUB; USPAT
31	65	((access near right\$1) or authoriz\$5) near6 ((location or position or home\$1 or house\$1 or office\$1 or indoor or outdoor) near2 (depend\$4 or relevant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	41	S44 and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	4	("5260943" "5379447" "5396647" "5530693").PN.	US-PGPUB; USPAT; USOCR
34	1133	(register\$3 or registrat\$3) with ((send\$3 or transmit\$4 or submit\$4) near2 key)	US-PGPUB; USPAT; USOCR
35	117	(register\$3 or registrat\$3) with ((send\$3 or transmit\$4 or submit\$4) near2 key) with server\$1	US-PGPUB; USPAT; USOCR
36	67	(register\$3 or registrat\$3) with ((send\$3 or transmit\$4 or submit\$4) near2 key) near4 server\$1	US-PGPUB; USPAT; USOCR
37	27	S49 and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT; USOCR
38	14	("5153919" "5204902" "5365589" "5406628" "5475758" "5491752" "5497421" "5604801" "5724425" "5737419" "5748735" "5850442" "5922074" "5953422").PN.	US-PGPUB; USPAT; USOCR